Suicide Deaths

Suicide Deaths

- •Most recent data (2012): 13.2 deaths per 100,000, including 269 deaths.
 •Trend over time: 2000-08: flat; 2008-12: rising

Suicide deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	11.5	10.8	12.2	233
AGE	-	'		
<18	1.6	1.1	2.2	7
18-24	10.8	8.8	13.2	19
25-44	12.9	11.7	14.2	78
45-64	17.8	16.2	19.5	92
65+	17.1	14.7	19.8	36
GENDER				
Male	17.9	16.7	19.2	175
Female	5.5	4.9	6.2	57
RACE/ETHNICITY				
AIAN	14.5	7.1	29.9	3
Asian	5.3	4.1	6.7	16
Black	8.3	6.2	11.3	10
Hispanic	6.2	4.1	9.8	9
Multiple	5.7	3.4	11.7	4
NHPI	14.4 §	3.4 §	50.8 §	1
White	12.9	12.1	13.8	197
NEIGHBORHOOD POVERTY				
High	13.0	11.0	15.2	34
Medium	12.0	11.1	12.9	154
Low	9.2	8.0	10.6	43
REGION				
East	10.1	8.9	11.5	53
North	12.7	10	15.9	16
Seattle	12.0	10.9	13.3	80
South	11.6	10.5	12.8	81

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Suicide deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Suicide deaths by comparison areas

The Healthy People 2020 Objective for suicide deaths is 10/100,000.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	12.1	N/A	N/A
WA State	2012	14.8	13.8	15.7
King County	2012	13.2	11.6	14.9


Source: WAState DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 12/2014.

'ARate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Suicide deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 12/2014. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population. |-----| Confidence interval shows range that includes true value 95% of the time.

Suicide deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	11.5	10.8	12.2	233
Aubum	15.8	11.7	21.0	10
Auburn-North	14.9	9.9	21.7	6
Auburn-South	17.2	10.7	26.8	4
Bear Creek/Camation/Duvall	7.9	4.9	12.5	5
Bellevue	11.6	9.2	14.6	16
Bellevue-Central	15.1	10	22.2	6
Bellevue-NE	10.2	6.1	16.4	4
Bellevue-South	11.2	6.2	19.1	3
Bellewe-West	11.3	6.4	19.1	3
Black Diamond/Enumclaw/SE County	13.8	9.2	20.1	6
Bothell/Woodinville	9.5	5.4	15.8	3
Burien	10	6.5	15.0	5
Covington/Maple Valley	7.3	4.4	12.1	4
Des Moines/Normandy Park	13.4	8.5	20.2	5
East Federal Way	15.2	9.7	23.3	5
Fairwood	5.8 §	2.2 §	14.4 §	1
Federal Way	12.5	9.4	16.4	11
Fed Way-Central/Military Rd	13.5	9.6	18.7	8
Fed Way-Dash Point/Woodmont	10.4	6.1	17.3	4
Issaquah	8.6	4.6	15.3	3
Kenmore/LFP	9.8	5.8	15.8	4
Kent	12.4	9.6	15.8	14
Kent-East	8.7	4.8	15.2	3
Kent-SE	10.2	6.6	15.3	5
Kent-West	22.5	14.8	34.2	6
Kirkland	11.3	8.3	15.2	10
Kirkland	12.7	8.6	18.3	6
Kirkland North	8.9	5.0	15.2	3
Mercer Isle/Pt Cities	10.1	5.4	18.5	3
Newcastle/Four Creeks	10.5	5.5	18.7	3
North Highline	11.1 §	4.9 \$	22.8 §	2
Redmond	6.1	3.5	10.3	3
Renton	9.8	7.4	12.9	11
Renton-East	10.3	6.0	17.7	3
Renton-North	11.0	6.2	18.3	3
Renton-South	8.9	5.6	13.6	5
Sammanish	9.2	5.4	16.1	4
SeaTac/Tukwila	11.2	7.1	17.1	5
Seattle	12.0	10.9	13.3	80
Ballard	8.9	5.7	13.7	5
Beacon/Gtown/S.Park	9.5	5.7	15.1	4
Capitol Hill/E.lake	11.4	7.4	18.1	6
Central Seattle	13.7	9.4	20	7
Delridge	14.1	8.4	22.9	4
Downtown	19.0	13.9	32.9	10
Fremont/Greenlake	10.1	6.4	16.1	6
NE Seattle	11.7	8.2	16.5	8
North Seattle	11.6	7.6	17.4	6
NW Seattle	17.1	12.1	24.1	8
QA/Magnolia	10.4	7.2	15.3	7
SE Seattle	7.8	4.5	12.9	3
West Seattle	11.9	8.4	17.1	8
Shoreline	16.2	11.8	22.0	9
Snoqualmie/North Bend/Skykomish	14.6	9.3	22.7	5
Vashon Island	8.5 §	2.8 §	26.0 §	1
Comparisons:	0.0 3		20.0 3	<u> </u>

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

'Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.

Suicide deaths by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Suicide deaths King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 12/2014.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
12/14

